



Attorney Docket No. 1619.1012 *cpc*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Chika KAYABA, et al.

Application No.: 09/922,699

ATTENTION

Confirmation No.: 8779

CERTIFICATE OF CORRECTION

Filed: August 7, 2001
BRANCH

U.S. Patent No.: 6,922,683

Issued: July 26, 2005

For: CTI SERVER AND PROGRAM RECORDING MEDIUM

Certificate
MAR 02 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

February 28, 2006

By:

David M. Pitcher

David M. Pitcher
Registration No. 25,908

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,922,683

DATED : July 26, 2005

INVENTOR(S) : Chika KAYABA, et al.

Column 15, Line 32, after "execute" delete "," and insert - - : - - therfor.

Column 16, Line 3, after "generate" insert - - a - -.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,922,683

No. of add'l copies
@ 50¢ per page

⇒